



America

# CERTIFICATE

No. Z1US 056165 0070 Rev. 04

**Holder of Certificate:** **Blue Falls Manufacturing**  
4549-52 Street  
Thorsby AB T0C 2P0  
CANADA

**Certification Mark:**



**Product:** Whirlpool Bath Systems  
Whirlpool Spa

**Model(s):** **Arctic Line, Coyote Line – 50 Hz**  
(see page 2 for additional models & ratings)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. For details see [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 72178094-200

**Valid until:** 2029-06-09

**Date,** 2024-06-10

( Glenn H. McLaughlin )



America

# CERTIFICATE

No. Z1US 056165 0070 Rev. 04

**Brand Name:** BLUE FALLS

**Tested according to:** EN 60335-2-60:2003/A12:2010  
EN 60335-1:2012/A15:2021

**Parameters:** Rated Input Voltage: 220-240 VAC  
Rated Frequency: 50 Hz  
Rated Input Current: 27.8 A  
Degree of Protection: IPX5

Arctic Line		Coyote Line
<b>Voltage:</b>	220-240 V AC	220-240 V AC
<b>Frequency:</b>	50 Hz	50 Hz
<b>Current: (up to)</b>	40 A, 1 phase or 20 A, 2 phase or 20 A, 3 phase	40 A, 1 phase or 20 A, 2 phase or 20 A, 3 phase
Models:		Models
Summit	Okanagan	Polaris
Klondiker	Kingfisher	Aurora
Kodiak	Wolverine	Orca
Tundra	Hudson	Grizzley
Frontier	Athabasca	Ellesmere
Cub	Timberwolf	Husky
Yukon	Totem	Sapphire
Fox	Eagle	Outlaw
Summit XL	McKinley	Husky
Ocean	Mustang	Orion
Columbia		Lunar
		Hot Pod
		Hot Pod plus
		Hot Pod Dual
		Gold
		Gold Stretch

**Conditions of Acceptability:**

1. This equipment must be installed in accordance with the manufacturer's instructions.
2. The installation of this equipment must be in accordance with the requirements for electrical installations according the relevant authority having jurisdiction.
3. The cautions and warnings in the user's manual for this equipment are considered limitations on the scope of use for purposes of this approval.

Spas are rated based on configuration/options prior to ship.

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



America

# CERTIFICATE

No. Z1US 056165 0070 Rev. 04

Cabinet Type: Arctic Line

	Type	Rating	Jets	Dimensions	Horse Power	Amperage
Summit	Prestige	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Klondiker	Prestige	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Kodiak	Prestige	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44/48
	Signature	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Tundra	Prestige	230v	20	93" x 93" x 39"	2.5	24/32/40
	Prestige SDS	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48
Frontier	Prestige	230v	20	86" x 93" x 39"	2.5	24/32/40
	Prestige SDS	230v	20	86" x 93" x 39"	2.5/3	24/32/40/44
	Signature	230v	40	86" x 93" x 39"	2.5/3	24/32/40/44
	Signature SDS	230v	40	86" x 93" x 39"	2.5/3/3	24/32/40/44/48



America

# CERTIFICATE

No. Z1US 056165 0070 Rev. 04

CERTIFICATE ◆ CERTIFICADO ◆ CERTИФИКАТ ◆ 認證證書 ◆ CERTIFICATE ◆ CERTIFIKAT ◆ CERTIFICAT

	Legend	230v	40	86" x 93" x 39"	2.5/3/3	24/32/40/44/48
Cub	Prestige	230v	20	86" x 86" x 41"	2.5	24/32/40
	Prestige SDS	230v	20	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature	230v	40	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature SDS	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
Yukon	Prestige	230v	20	86" x 86" x 41"	2.5	24/32/40
	Prestige SDS	230v	20	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature	230v	40	86" x 86" x 41"	2.5/3	24/32/40/44
	Signature SDS	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48
Fox	Prestige	230v	15	86" x 69" x 39"	2.5	24/32/40
	Signature	230v	30	86" x 69" x 39"	2.5/3	24/32/40/44
Summit XL	Prestige	230v	20	93" x 117" x 39"	2.5	24/32/40
	Prestige SDS	230v	20	93" x 117" x 39"	2.5/3	24/32/40/44
	Signature	230v	40	93" x 117" x 39"	2.5/3	24/32/40/44
	Signature SDS	230v	40	93" x 117" x 39"	2.5/3/3	24/32/40/44/48
	Legend	230v	40	93" x 117" x 39"	2.5/3/3	24/32/40/44/48
	Legend SDS	230v	40	93" x 117" x 39"	2.5/3/3/3	24/32/40/44/48
	Legend Select	230v	60	93" x 117" x 39"	2.5/3/3	24/32/40/44/48
	Legend Select SDS	230v	60	93" x 117" x 39"	2.5/3/3/3	24/32/40/44/48

Ocean	Prestige	230v	20	171" x 94.5" x 52"	2.5	24/32/40
	Prestige SDS	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/48
	Signature SDS	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend SDS	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
	Legend Select	230v	60	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend Select SDS	230v	60	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
Columbia	Prestige	230v	20	171" x 94.5" x 52"	2.5	24/32/40
	Prestige SDS	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/48
	Signature SDS	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend SDS	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
	Legend Select	230v	60	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend Select SDS	230v	60	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
Okanagan	Prestige	230v	20	171" x 94.5" x 52"	2.5	24/32/40
	Prestige SDS	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/44
	Signature SDS	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48



America

# CERTIFICATE

No. Z1US 056165 0070 Rev. 04

	Legend	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	Legend SDS	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48
Kingfisher	YE	230v	3	171" x 94.5" x 52"	2.5,4	48
	ECO	230v		171" x 94.5" x 52"	2.5,4	48
Wolverine	YE	230v	26	171" x 94.5" x 52"	2.5,3,4	48
	ECO	230v		171" x 94.5" x 52"	2.5,3,4	48
Hudson	YE	230v	26	171" x 94.5" x 52"	2.5/3/3	24/32/40/48
	ECO	230v		171" x 94.5" x 52"	2.5/3/3	24/32/40/48
Athabasca	YE	230v	2	171" x 94.5" x 52"	2.5	24/32
	ECO	230v	2	171" x 94.5" x 52"	2.5	24/32/40

Timberwolf	Prestige YE	230v	15	75" x 86" x 37"	2.5	24/32
	Prestige ECO	230v	15	75" x 86" x 37"	2.5	24/32/40
	Signature YE	230v	30	75" x 86" x 37"	2.5/3	24/32/40/44
	Signature ECO	230v	30	75" x 86" x 37"	2.5/3	24/32/40/44
Totem	Prestige YE	230v	20	86" x 86" x 35"	2.5	24/32
	Prestige ECO	230v	20	86" x 86" x 35"	2.5	24/32/40
	Signature YE	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
	Signature ECO	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
Eagle	Prestige YE	230v	20	86" x 86" x 35"	2.5	24/32
	Prestige ECO	230v	20	86" x 86" x 35"	2.5	24/32/40
	Signature YE	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
	Signature ECO	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44
McKinley	Prestige YE	230v	20	93" x 93" x 39"	2.5	24/32
	Prestige ECO	230v	20	93" x 93" x 39"	2.5	24/32/40
	Signature YE	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature ECO	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
Mustang	Prestige YE	230v	20	93" x 93" x 39"	2.5	24/32
	Prestige ECO	230v	20	93" x 93" x 39"	2.5	24/32/40
	Signature YE	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44
	Signature ECO	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFIKAT ◆ CERTIFICADO ◆ CERTIFICAT



America

# CERTIFICATE

No. Z1US 056165 0070 Rev. 04

Cabinet Type: Coyote Line

Aurora	Core	230v	20	81"x 81"x 37"	2.5	33
Polaris	Core	230v	40	81"x 81"x 37"	2.5/3	44
Orca	Core	230v	40	89" x 93" x 35.25"	2.5/3	44
Grizzly	Core	230v	40	89" x 93" x 35.25"	2.5/3	44
Ellesmere	Core	230v	20	62" x 86" x 39"	2.5	33
Husky	Core	230v	20	73" x 84" x 39"	2.5	33
Orion	Core	230v	40	84" x 84" x 38"	2.5/3	44
Lunar	Core	230v	40	84" x 84" x 38"	2.5/3	44
Outlaw	Polar	230v	14	72" dia. x 39"	1.5	13
Husky	Polar	230v	12	70" x 80" x 31.5"	1.5	13
Hot pod	Polar	230v	6	29" x 59" x 40"	1.5	12
Hot Pod plus	Polar	230v	6	30" x 71" x 43"	1.5	12
Hot Pod Dual	Polar	230v	12		1.5/1.5	12
Gold	Polar	230v	6	76" x 76" x 30"	1.5	12
Gold Stretch	Polar	230v	6	106" x 77" x 30"	1.5	12
Sapphire	Polar	230v	8	90"x48"x28.5"	1.5	12

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證書 ◆ CERTIFICADO ◆ CERTIFICAT